



## BOOK OF ABSTRACTS



# ECE 2023 C R E T E

## European Congress of Entomology

### XII European Congress of Entomology

16-20.10.2023

Cultural Conference Center of Heraklion  
Crete, Greece

[www.ece2023.com](http://www.ece2023.com)

Organised by



Under the Auspices



HELLENIC REPUBLIC  
Ministry of Rural Development  
and Food



HELLENIC REPUBLIC  
MINISTRY OF TOURISM



ΠΕΡΙΦΕΡΕΙΑ ΚΡΗΤΗΣ  
REGION OF CRETE



MUNICIPALITY OF  
HERAKLION



## ECE Praesidium

David Giron, France  
Mircea-Dan Mitroiu, Romania  
Ruth Müller, Belgium  
Archie K. Murchie, Northern Ireland  
Ralf Nauen, Germany  
Francesco Pennacchio, Italy  
Maria-Dolors Piulachs, Spain  
Emmanouil N. Roditakis, Greece  
Jenni Stockan, United Kingdom

## Organizing Committee

Stefanos Andreadis, Greece  
Aristidis Economopoulos, Greece  
Dimitrios Koveos, Greece  
Panagiotis Milonas, Greece  
Archie Murchie, Northern Ireland  
Ralf Nauen, Germany  
Nikolaos Papadopoulos, Greece  
Francesco Penacchio, Italy  
Emmanouil Roditakis, Greece  
Alvin Simmons, USA  
Umut Toprak, Turkey  
Anastasia Tsagkarakou, Greece  
John Vontas, Greece

## Scientific Committee

Stefanos Andreadis, Greece  
Christos Athanassiou, Greece  
Antonios Avgoustinos, Greece  
Dimitrios Avtzis, Greece  
Leo Beukeboom, The Netherlands  
Maria Bouga, Greece  
George Broufas, Greece  
Mary Cameron, United Kingdom  
Alexandra Chaskopoulou, Greece  
Anne-Marie Cortesero, France  
Dirk de Graaf, Belgium  
Mark de Meyer, Belgium  
Alessandra Della Torre, Italy  
Vassilis Douris, Greece  
Panagiotis Eliopoulos, Greece

Laura Gasco, Italy  
David Giron, France  
Fani Hatjina, Greece  
Kostas Iatrou, Greece  
Emmanuelle Jacquin-Joly, France  
Filitsa Karamaouna, Greece  
Nickolas Kavallieratos, Greece  
Apostolos Kapranas, Greece  
Maria Konstantopoulou, Greece  
Nikos Kouloussis, Greece  
Lars Krogman, Germany  
Claudio Lazzari, France  
Anna Szyniszewska, United Kingdom  
John Margaritopoulos, Greece  
Kostas Mathiopoulos, Greece  
Gerben Messelink, The Netherlands  
Antonios Michaelakis, Greece  
Denis Michez, Belgium  
Panagiotis Milonas, Greece  
Laurence Mouton, France  
Ralf Nauen, Germany  
Dimitrios Papachristos, Greece  
Nikolaos Papadopoulos, Greece  
Philippos Papathanos, Israel  
Maria Pappas, Greece  
Eleni Patsoula, Greece  
Francesco Pennacchio, Italy  
Dionysis Perdikis, Greece  
Theodora Petanidou, Greece  
Marylène Poirié, France  
Emmanouil Roditakis, Greece  
Alain Roques, France  
Vera Ros, The Netherlands  
Lene Sigsgaard, Denmark  
Efthimios Skoulakis, Greece  
Alexey Solodovnikov, Denmark  
Smaro Sotiraki, Greece  
Menelaos Stavrinides, Cyprus  
Luc Swevers, Greece  
Gianluca Tettamanti, Italy  
Umut Toprak, Turkey  
Apostolos Trichas, Greece  
Anastasia Tsagkarakou, Greece  
Alberto Urbaneja, Spain  
Thomas Van Leeuwen, Belgium  
John Vontas, Greece  
Lucia Zappalà, Italy

of EOs were also investigated on plants and on two entomophagous insect species used in biological control applications (i.e. *Nesidiocoris tenuis* and *Aphidius colemani*). Finally, we assessed the potential activation of plant defenses mediated by EOs and the cascading effects on the related food networks. Most of the assayed EOs caused significant mortality on insect pests and the estimated lethal concentrations varied significantly. Fennel and anise EOs caused significant mortality on *T. absoluta*, while garlic was the most effective against *A. gossypii*. Although most EOs had negligible toxicity on tomato and sweet pepper plants, they showed a changing selectivity towards tested predators and/or parasitoids. Foliar applications of garlic and peppermint EOs activated defense signalling pathways and triggered different behavioral responses on pests and natural enemies in olfactory trials. Our findings disclose new advances in the current understanding of EOs for plant protection strategies in the Integrated Pest Management framework of modern cropping systems.

**Keywords:** botanicals, glasshouse pest, horticultural crops, IPM, nanomaterial, plant defense

---

### OC443. The long and challenging road to capitalize on plant-based extracts from the lab to the field

P. Silvie<sup>\*1,6</sup>, M. Fazolin<sup>2</sup>, L. do Prado Ribeiro<sup>3</sup>, P. A. Marchand<sup>4</sup>, F. Tchuwa<sup>5</sup>, P. Martin<sup>6</sup>, A. Mkindi<sup>7</sup>

<sup>1</sup>IRD Montpellier, France

<sup>2</sup>EMBRAPA Acre, Brazil

<sup>3</sup>EPAGRI-CEPAF Chapecó-SC, Brazil

<sup>4</sup>ITAB Paris, France

<sup>5</sup>Bunda College, Lilongwe University of Agriculture and Natural Resources, Lilongwe, Malawi

<sup>6</sup>CIRAD Montpellier, France

<sup>7</sup>The Nelson Mandela African Institution of Science and Technology, Arusha, Tanzania

\*Corresponding author: [pierre.silvie@cirad.fr](mailto:pierre.silvie@cirad.fr)

Negative impacts of chemical pesticide, social demand (healthier food), organic farming organization, rising costs of inputs linked to oil market and their importation (in Africa), and the circular economy approach are a few arguments/opportunities that underlie the roll-out of alternative solutions, including botanicals. Technology readiness levels (TRLs) offer a means to rate relevance of these solutions in the process from plant identification and local knowledge to large-scale use of plant extracts. Options range from do-it-yourself (homemade preparations)- often based on smallholders' traditional know-how- to application of commercial input formulations. The constraints to be overcome vary in scope: technical (biomass availability/sustainability, extraction, chemical analysis, standardization, formulation), societal (grower and consumer perception/acceptability, labour demand, gender issue), and regulatory (adaptation, environmental/ecotoxicological aspects). The following are a few examples of TRL ratings in terrestrial insect management: aqueous extracts of *Tephrosia vogelii* in Malawi and Tanzania (TRL 4-5), organic extracts in Brazil (Annonaceae, TRL 3-4), essential oils of *Piper borbodense* in Réunion (TRL 3-4) and of *Piper aduncum* in the western Amazon (TRL 5-6). In Brazil, the use of commercial formulations (Orobor, Orange Power, etc.) derived from agroindustrial residue processing (orange oil) is an example of a TRL 9 rating. Potential solutions are presented to foster individual or collective (e.g. in African villages) usage (blends, mixtures with chemical pesticides, quality control) and the pathway towards certification. In particular, the creation of specific regulatory categories (e.g. basic substance) within the framework of the European regulation EC n°1107/2009 could help facilitate the adoption/use of plant-based extracts.

**Keywords:** botanicals, agroecology, protection, pests

---