

Tropentag 2018

International Research on Food Security, Natural
Resource Management and Rural Development

Global food security and food safety: The role of universities

Book of abstracts

Editor: Eric Tielkes

Reviewers/scientific committee: Geert Baert, Jan Baetens,
Veerle Fievez, Geert Haesaert, Bernhard Freyer, Carl Lachat, Roel Merckx,
Eva Schlecht, Stijn Speelman, Barbara Sturm, Patrick Van Damme,
Gilbert Van Stappen, Wouter Vanhove, Annelies Verdoolaege,
Vladimir Verner, Kaat Verzelen, Ann Water-Bayers, Anthony Whitbread,
Stephan Winter

Editorial assistance: Mercedes Gotterbarm, Laetitia Samuel

Impressum

Bibliografische Information der Deutschen Nationalbibliothek

Die Deutsche Nationalbibliothek verzeichnet diese Publikation in der Deutschen Nationalbibliografie; detaillierte bibliografische Daten sind im Internet über <http://dnb.ddb.de> abrufbar.

Tropentag 2018: Global food security and food safety: the role of universities
Tielkes, E. (ed.) 1. Aufl. - Weikersheim: Margraf Publishers GmbH, 2018

© Margraf Publishers GmbH, Weikersheim
Kanalstraße 21, 97990 Weikersheim
Telefon: 07934 - 3071
Telefax: 07934 - 8156
www.margraf-publishers.eu

Alle Rechte vorbehalten. Ohne ausdrückliche Genehmigung des Verlages ist es nicht gestattet, das Buch oder Teile daraus auf fotomechanischem Weg (Fotokopie Mikrokopie) zu vervielfältigen.

The authors of the articles are solely responsible for the content of their contribution. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without prior permission of the copyright owners.

ISBN: 978-3-8236-1760-0

Online-Version: <http://www.tropentag.de/>



Margraf Publishers GmbH

Effect of Intensification of Crop Management on Cereal Crop Yields under 1.5°C and 2.0°C Global Warming in the West African Sudan Savannah

BABACAR FAYE¹, HEIDI WEBBER¹, JESSE B. NAAB², DILYS S MACCARTHY³, MYRIAM ADAM⁴, FRANK EWERT¹, JOHN LAMERS⁵, CARL-FRIEDRICH SCHLEUSSNER⁶, ALEX RUANE⁷, URSULA GESSNER⁸, GERRIT HOOGENBOOM⁹, KEN BOOTE⁹, VAKHTANG SHELIA⁹, FAHAD SAEED⁶, DOMINIK WISSER¹⁰, SOFIA HADIR¹, PATRICK LAUX¹¹, THOMAS GAISER¹

¹University of Bonn, Inst. Crop Sci. and Res. Conserv. (INRES), Germany

²West African Science Service Center for Climate Change and Adapted Land Use (WASCAL), Burkina Faso

³University of Ghana, College of Basic and Applied Sciences, Soil and Irrigation Research Centre, Ghana

⁴Centre de Coop. Internationale pour la Recherche Agronomique pour le Developpement (CIRAD), France

⁵University of Bonn, Center for Development Research (ZEF), Germany

⁶Climate Analytics, Climate Analytics, Germany

⁷NASA Goddard Institute for Space Studies, United States of America

⁸German Remote Sensing Data Center (DFD), Germany

⁹University of Florida, Agricultural and Biological Engineering, United States of America

¹⁰UN Food and Agricultural Organization (FAO), Italy

¹¹Karlsruhe Institute of Technology, Inst. of Meteorology and Climate Research, Germany

Rainfed cereals are the main staple food crops in the West African Sudan Savannah. While current yield levels are low due in large part to the limited use of fertilisers, sustainable intensification of cropping systems is widely promoted in the region to improve food security and drive regional economic development. However, an important consideration is increased interannual yield variability and possible interactions with climate change, as this represents an important source of risk for farmers. This study assessed the effect of intensification on maize, pearl millet and sorghum yields under 1.5°C and 2.0°C global warming in the West African Sudan Savannah. Simulations were conducted with two crop models (DSSAT and Lintul5 embedded into the SIMPLACE modelling framework) at a spatial resolution of 0.25° under both current fertiliser use and optimum fertiliser application (intensification case). The models were calibrated with local varieties from field experiments in the region with management reflecting a range of typical sowing windows. Results indicated that yields simulated under intensification were two to three times higher than yields simulated under current fertiliser use, irrespective of the warming scenario. However, yield losses under

Contact Address: Babacar Faye, University of Bonn, Institute of Crop Science and Resource Conservation (INRES), Katzenburgweg 5, Institute of Crop Science and Resource Conservation Crop Science Group, Bonn, Germany, e-mail: babafaye@uni-bonn.de

climate change were slightly higher with intensification: 2 % units higher for maize and sorghum with 2.0°C compared to 1.5°C warming, with no change in millet yields for either scenario. As expected, interannual variability increased with intensification compared to current fertiliser use, though there was no interaction with climate change scenario. In summary, it is suggested that intensification would much more than offset the negative impacts of climate change, though economics analysis is required to understand the implications for risk and constraints on market development needed to support intensification.

Keywords: 1.5°C, climate change, intensification, West Africa