Tropentag 2018

International Research on Food Security, Natural Resource Management and Rural Development

Global food security and food safety: The role of universities

Book of abstracts

Editor: Eric Tielkes

Reviewers/scientific committee: Geert Baert, Jan Baetens,
Veerle Fievez, Geert Haesaert, Bernhard Freyer, Carl Lachat, Roel Merckx,
Eva Schlecht, Stijn Speelman, Barbara Sturm, Patrick Van Damme,
Gilbert Van Stappen, Wouter Vanhove, Annelies Verdoolaege,
Vladimir Verner, Kaat Verzelen, Ann Water-Bayers, Anthony Whitbread,
Stephan Winter

Editorial assistance: Mercedes Gotterbarm, Laetitia Samuel

Impressum

Bibliografische Information der Deutschen Nationalbibliothek

Die Deutsche Nationalbibliothek verzeichnet diese Publikation in der Deutschen Nationalbibliografie; detailierte bibliografische Daten sind im Internet über http://dnb.ddb.de abrufbar.

Tropentag 2018: Global food security and food safety: the role of universities Tielkes, E. (ed.) 1. Aufl. - Weikersheim: Margraf Publishers GmbH, 2018

© Margraf Publishers GmbH, Weikersheim Kanalstraße 21, 97990 Weikersheim

Telefon: 07934 - 3071 Telefax: 07934 - 8156 www.margraf-publishers.eu

Alle Rechte vorbehalten. Ohne ausdrückliche Genehmigung des Verlages ist es nicht gestattet, das Buch oder Teile daraus auf fotomechanischem Weg (Fotokopie Mikrokopie) zu vervielfältigen.

The authors of the articles are solely responsible for the content of their contribution. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without prior permission of the copyright owners.

ISBN: 978-3-8236-1760-0

Online-Version: http://www.tropentag.de/



Optimum Oil Palm (*Elaeis guineensis* Jacq.) Planting Density for West Africa

XAVIER BONNEAU¹, REINOUT IMPENS², MAXWELL BUABENG³,
PATRICK VAN DAMME²

The African oil palm (*Elaeis guineensis* Jacq.) is the highest yielding oil crop and the major source of vegetable oil worldwide. As a perennial crop with a typical life cycle of 25 years, establishment costs are high but potential yields of up to 8 tons of oil per hectare can be achieved under favourable environments and with best agricultural practices making it one of the most profitable land-uses in the humid tropics.

Due to the radial symmetry of the foliage and their fasciculate root system, oil palms are typically planted in an equilateral triangle design. Spacing between palms determines planting density, a major contributor to oil yield. With a spacing that is too large, resources such as incident radiation are underutilised; on the other hand, too low a spacing excessive competition between palms will have a depressive effect on yield. As leaf mass and span increase over the first 12 years after planting, optimum density decreases with age. As a result of all these issues, the optimum planting density is the one that will achieve the highest cumulative yield over the 25 years cropping cycle. This study presents the results from a 12 year old spacing trial in Nigeria. The highest cumulative yields per palm are recorded for the lowest density but the highest cumulative yield per hectare are still observed on the higher densities. However, the gap between both is shrinking with time as the competition for incident radiation increasingly affects the higher densities. While optimum density for cumulative yield at 12 years after planting is still 190 palms ha⁻¹, extrapolation and simulation indicate an optimum between 143 and 160 palms ha⁻¹ over the entire cycle, corresponding to a spacing of 8.5 to 9 m.

Keywords: Nigeria, oil palm, planting density, West Africa

224 ID 495

¹Agricultural Research Centre for International Development (CIRAD), Performance of Tropical Production & Processing Systems (Persyst), France

²Ghent University, Dept. of Plant Production - Lab. for Tropical Agronomy, Belgium

³Presco Plc. Plantation Management, Nigeria

Contact Address: Reinout Impens, Ghent University, Dept. of Plant Production - Lab. for Tropical Agronomy, Ghent, Belgium, e-mail: Reinout.Impens@UGent.be