# PHILOSOPHICAL TRANSACTIONS B

royalsocietypublishing.org/journal/rstb



## Comment





**Cite this article:** Beillouin D, Jones SK, Rapidel B, Estrada-Carmona N. 2025 Beyond yields: a systems approach is essential for reconciling agriculture and biodiversity. *Phil. Trans. R. Soc. B* **380**: 20250257.

https://doi.org/10.1098/rstb.2025.0257

Received: 19 June 2025 Accepted: 19 June 2025

### **Subject Areas:**

environmental science

#### **Keywords:**

biodiversity, land use, farming, yield, food production

### **Authors for correspondence:**

Damien Beillouin

e-mail: damien.beillouin@cirad.fr

Sarah K. Jones

e-mail: s.jones@cgiar.org

<sup>†</sup>These authors contributed equally to the study.

# THE ROYAL SOCIETY

# Beyond yields: a systems approach is essential for reconciling agriculture and biodiversity

Damien Beillouin<sup>1,2,†</sup>, Sarah K. Jones<sup>3,†</sup>, Bruno Rapidel<sup>4</sup> and Natalia Estrada-Carmona<sup>3</sup>

<sup>1</sup>UPR HortSys, CIRAD, 34398 Montpellier, France <sup>2</sup>CIRAD, University of Montpellier, 34398 Montpellier, France <sup>3</sup>Bioversity International, 34397 Montpellier, France

<sup>4</sup>ABSys, University of Montpellier, 34090 Montpellier, France

DB, 0000-0003-2014-3482; SKJ, 0000-0002-9422-5563; BR, 0000-0003-0288-5650;

*Phil. Trans. R. Soc. B* **380**: 20250258 (Published online 07 August 2025). (https://doi.org/10.1098/rstb.2025.0258)

### 1. Introduction

NE-C, 0000-0003-4329-5470

Balmford *et al.* [1] advocate land sparing and high yields as the primary strategy to address biodiversity loss and ensure food security. We challenge the notion that managing agricultural land solely to optimize yields can halt or reverse the decline of biodiversity [2]. Decades of yield-centric agriculture, divorced from ecological and social concerns, have proven inadequate.

### 2. Rethinking agricultural productivity beyond yields

Despite acknowledging agriculture's profound negative impacts on biodiversity and ecosystem function, the authors advocate 'sustainable high-yield agriculture' primarily through 'sustained access to fertilizer, improved varieties [including genetically modified], markets and sound agronomic advice'. These practices are similar to those promoted under the Green Revolution's tech-driven strategies [3, p. 8], raising concerns about how their sustainable model truly differs from the current high-input agricultural intensification paradigm. This approach risks perpetuating biodiversity decline [4], agriculture's contribution to a quarter of global greenhouse gas emissions [5], inadequate remuneration of farmers [6], and malnutrition affecting at least 735 million people [7]. Agrochemical dispersal degrades ecosystem functions at regional and global scales [8]. Intensive agriculture perturbs hydrological cycles, exacerbating water scarcity and driving planetary boundary transgressions related to freshwater and land-system change [9]. Moreover, atmospheric nitrogen deposition, a result of fertilizer use, alters distant ecosystems, impacting global biodiversity and biogeochemical flows [10]. A singular focus on maximizing yields, ignoring environmental and social externalities inadequately addressed in their text-risks exacerbating the hidden costs of food systems, estimated at \$10 trillion in purchasing power parity in 2020 [11]. Notably, 70% of those costs concern human health, followed by environmental degradation. From a policy perspective, high-yield farming is economically questionable, since many associated costs are partially covered through highly distortive, environmentally and socially detrimental public agriculture support mechanisms [12]. These direct subsidies, input-based subsidies and export subsidies deplete public funding that could support education, healthcare and biodiversity conservation. By ignoring high-yield

© 2025 The Authors. Published by the Royal Society under the terms of the Creative Commons Attribution License http://creativecommons.org/licenses/by/4.0/, which permits unrestricted use, provided the original author and source are credited.

industrial systems' structural limitations, technocratic approaches could limit solutions to partial fixes and overlook alternatives rooted in sustainability, equity and resilience.

We argue sustainable agriculture should be defined by its proven ability to deliver and ensure access for everyone to healthy foods, while maintaining/improving natural resources and ensuring the wellbeing of all farmers. Context-specific adaptation and continuous scientific evaluation beyond high yield or organic practices are essential, as advocated in the agroecology literature [13]. For example, agroecology prioritizes optimizing whole-farm and landscape socio-ecological principles contributing to soil health, biodiversity, resource circularity, justice, equity and access to affordable, locally sourced and nutritious food [14]. Balmford *et al.* exhibit a paradoxical stance, acknowledging briefly the potential of 'less capital-intensive approaches—including integrated pest management, push—pull methods of controlling pests, co-culture techniques, silvopasture and drip irrigation—to achieve marked increases in yields, often with lower inputs of water or potentially harmful chemicals' [1, p. 8], yet later implying an inherent trade-off between yield and environmental integrity within agroecological systems (see 'The chief challenge to land sharing is that most actions ... typically tend to reduce farm yields' [1, p. 5]). This assumption is challenged by empirical evidence suggesting that such trade-offs are not inevitable [15], and that agroecological practices, including agroforestry and cover cropping, can simultaneously enhance agricultural productivity and profitability, improve ecosystem services and contribute to food security [16–22] in a changing climate [23].

## 3. The need for on-farm biodiversity conservation to achieve the world's biodiversity goals

Rather than improving the state of the world's biodiversity, we argue that relying solely on high-yield intensive agriculture for food production will compromise achieving Global Biodiversity Framework (GBF) targets 1, 4 and 10 [24] and multiple Sustainable Development Goals [25]. Balmford *et al.*'s advocacy for land sparing is undermined by three critical oversights: a flawed assumption of effective 'spared' land protection, an underestimation of leakage effects, and a neglect of agrobiodiversity's crucial role.

First, Balmford *et al.*'s land-sparing paradigm, reliant on assumed effective protection, is frequently contradicted by empirical evidence. Effective 'spared' land protection necessitates more than spatial designation; it requires legally binding protection, local community engagement and ensuring that 'spared' areas form part of a functional ecological network. Without these, spared lands are susceptible to fragmentation [26], disturbance and conversion, including from distant but powerful drivers of land use change such as illegal logging, urbanization, and infrastructure development [27]. While protected areas have successfully contributed to reducing deforestation and improving livelihoods, their effectiveness in achieving broader conservation goals is contested in certain contexts [28,29].

Second, Balmford *et al.*'s analysis of the Jevons paradox potentially underestimates the substantial impacts involved (cf. 'Jevons effects are rare' [1, p. 9]) [30,31], while the discussion on leakage is incomplete. The authors acknowledge spatial displacement of agricultural production, but neglect the equally critical phenomenon of consumption leakage, i.e. efficiency gains leading to increased consumption. Increased agricultural productivity, even when spatially confined, can precipitate lower food prices, thereby stimulating heightened demand and consumption, ultimately driving further land conversion beyond initially spared areas [32]. Balmford *et al.* link agriculture's ecological footprint to consumption, trade, and supply chains [33]. They suggest that the European Union (EU)'s Biodiversity and Forest Strategies for 2030 requirement to spare old-growth forests and reduce yields in other forests is undesirable, on the basis that sparing tropical forests is more important for biodiversity. Yet, biodiversity needs conserving in every biome [34]. They also overlook the EU Regulation on Deforestation-free Products which is designed to mitigate leakage effects by requiring uniform forest protection rules.

Finally, the authors overlook the risks posed by genetic erosion, an inherent consequence of intensive high-yield farming systems [24,35]. This erosion represents a systemic loss of adaptive capacity, reducing the potential for future agricultural innovation and therefore threatening long-term food security. GBF targets 4 and 10 highlight the need to include agrobiodiversity—such as underutilized varieties and breeds and species like pollinators and soil organisms—in conservation to protect them from extinction while supporting agriculture [24]. Safeguarding this biodiversity requires consuming neglected foods and restoring ecosystem functioning through integrated spatial planning (GBF target 1) [36], efforts at risk from a narrow focus on maximizing yields.

# 4. Ensuring a socially just approach

Downloaded from https://royalsocietypublishing.org/ on 14 August 2025

The authors' advocacy for land sparing overlooks critical socio-ecological complexities of non-integrated land-use planning, farmer decision-making and agricultural transitions.

First, promoting large-scale intensification of agricultural land could reinforce agribusiness dominance of land and food systems, while marginalizing smallholder farmers and Indigenous peoples [30], and increasing local inequalities [37]. Technology-based intensification is capital-intensive, which smallholders struggle to compete with, leading to displacement or economic dependence on large agribusinesses [38]. A key example of this dynamic is the promotion of genetically modified organisms. Despite promises of higher yields, they have failed to address food security in regions with significant yield gaps, particularly in Africa [39]. The ban of Bt cotton in Burkina Faso due to performance issues [40], mixed outcomes in India [41], and loss of farmer seed sovereignty [42] highlights the limits of over-reliance on this corporate-driven approach [43]. As acknowledged in the agroecology literature [44] and beyond [45], achieving 'sustainable' agriculture requires that agricultural landscapes are recognized and managed as the multifunctional systems that they are [32].

Second, the authors over-simplify decision-making processes, ignoring evidence of the multi-criteria determinants of adoption and maintenance of ecologically friendly practices by farmers [46]. These studies show cultural values, knowledge access, social networks, land security and awareness of long-term ecological benefits shape farmers' decisions. Likewise, the authors condemn input reduction efforts by relying on a poorly planned transition example (the Sri Lanka case) while ignoring successful efforts aiming to reduce chemical use and dependency, such as the regulated markets for diversified family farming in Brazil [47], voluntary participation schemes for organic farming in Cuba [48] and government-supported natural farming in India [49].

In conclusion, a yield-centric approach to agriculture risks reinforcing the prioritization of 'short-term, individual, and material gains' [4, p. 12] that drive biodiversity loss, climate change and pollution. Addressing climate change, habitat loss and pollution requires transformative change beyond incremental land-use efficiency gains [4]. For this, we call on science to empirically validate which farming practices, agrifood system structures and transition pathways are capable of providing the world with a socially just, biodiverse, climate-, water- and food-secure future.

Data accessibility. This article has no additional data.

Declaration of Al use. We have not used AI-assisted technologies in creating this article.

Authors' contributions. D.B.: writing—original draft, writing—review and editing; S.K.J.: writing—original draft, writing—review and editing; B.R.: writing—review and editing; N.E.-C.: writing—review and editing.

All authors gave final approval for publication and agreed to be held accountable for the work performed herein.

Conflict of interest declaration. We declare we have no competing interests.

Funding. This work was funded by CGIAR Policy Innovations science programmes: 'Multifunctional Landscapes' and 'Policy Innovations'

### References

- Balmford A, Bateman IJ, Eyres A, Swinfield T, Ball TS. 2025 Sustainable high-yield farming is essential for bending the curve of biodiversity loss. Phil. Trans. R. Soc. B 380, 20230216. (doi:10.1098/rstb.2023.0216)
- 2. Potts SG et al. 2016 IPBES (2016): Summary for policymakers of the assessment report of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services on pollinators, pollination and food production. Bonn, Germany: Secretariat of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services.
- 3. van Etten J. 2022 Revisiting the adequacy of the economic policy narrative underpinning the Green Revolution. *Agric. Hum. Values* **39**, 1357–1372. (doi:10.1007/s10460-022-10375-2)
- 4. O'Brien K (ed). 2024 IPBES (2024). summary for policymakers of the thematic assessment report on the underlying causes of biodiversity loss and the determinants of transformative change and options for achieving the 2050 vision for biodiversity of the intergovernmental science-policy platform on biodiversity and ecosystem services. Bonn, Germany: IPBES Secretariat. (doi:10.5281/zenodo.11382230)
- 5. Nabuurs GJ *et al.* 2022 Agriculture, forestry and other land uses (AFOLU). In *Climate Change 2022: Mitigation of Climate Change. Contribution of Working Group III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change* (ed. AR Shukla *et al.*), pp. 747–860. Cambridge, UK: Cambridge University Press. (doi:10.1017/9781009157926.
- Stringer LC, Fraser EDG, Harris D, Lyon C, Pereira L, Ward CFM, Simelton E. 2020 Adaptation and development pathways for different types of farmers. Environ. Sci. Policy 104, 174–189. (doi:10.1016/j.envsci.2019.10.007)
- 7. FAO, IFAD, UNICEF, WFP, WHO. 2024 *In Brief to the State of Food Security and Nutrition in the World 2024 Financing to end hunger, food insecurity and malnutrition in all its forms.*Rome, Italy: FAO. (doi:10.4060/cd1276en)
- 8. Bernhardt ES, Rosi EJ, Gessner MO. 2017 Synthetic chemicals as agents of global change. Front. Ecol. Environ. 15, 84–90. (doi:10.1002/fee.1450)
- Steffen W et al. 2015 Planetary boundaries: quiding human development on a changing planet. Science 347, 1259855. (doi:10.1126/science.1259855)
- 10. Campbell BM et al. 2017 Agriculture production as a major driver of the Earth system exceeding planetary boundaries. Ecol. Soc. 22, 4. (doi:10.5751/ES-09595-220408)
- 11. Lord S. 2023 Hidden costs of agrifood systems and recent trends from 2016 to 2023 Background paper for The State of Food and Agriculture 2023. Rome, Italy: FAO. (doi:10.4060/cc8581en)
- 12. FAO, UNDP, UNEP. 2021 A multi-billion-dollar opportunity repurposing agricultural support to transform food systems. Rome, Italy: FAO. (doi:10.4060/cb6562en)
- 13. Côte FX et al. 2022 Levers for the agroecological transition of tropical agriculture. Agron. Sustain. Dev. 42, 67. (doi:10.1007/s13593-022-00799-z)
- 14. Wezel A, Herren BG, Kerr RB, Barrios E, Gonçalves ALR, Sinclair F. 2020 Agroecological principles and elements and their implications for transitioning to sustainable food systems. A review. *Agron. Sustain. Dev.* **40**, 40. (doi:10.1007/s13593-020-00646-z)
- 15. Jones SK, Sánchez AC, Beillouin D, Juventia SD, Mosnier A, Remans R, Estrada Carmona N. 2023 Achieving win-win outcomes for biodiversity and yield through diversified farming. Basic Appl. Ecol. 67, 14–31. (doi:10.1016/j.baae.2022.12.005)
- Xue R, Wang C, Zhao L, Cao J, Liu M, Zhang D. 2023 Agricultural intensification weakens soil multifunctionality by reducing fungal diversity. Appl. Soil Ecol. 189, 104900. (doi:10.1016/j.apsoil.2023.104900)
- 17. CFS HLPE. 2019 Agroecological and other innovative approaches for sustainable agriculture and food systems that enhance food security and nutrition. Report no. 14. Rome, Italy: High Level Panel of Experts on Food Security and Nutrition of the Committee on World Food Security.
- 18. Mengistu DD, Degaga DT, Tsehay AS. 2021 Analyzing the contribution of crop diversification in improving household food security among wheat dominated rural households in Sinana District, Bale Zone, Ethiopia. *Agric. Food Secur.* **10**, 7. (doi:10.1186/s40066-020-00280-8)
- 19. Paracchini M. 2022 Agroecological practices supporting food production and reducing food insecurity in developing countries: a study on scientific literature in nine countries. vol. 2. Luxembourg: Publications Office of the European Union. (doi:10.2760/059189)
- 20. Beillouin D, Ben-Ari T, Malézieux E, Seufert V, Makowski D. 2021 Positive but variable effects of crop diversification on biodiversity and ecosystem services. *Glob. Chang. Biol.* 27, 4697–4710. (doi:10.1111/gcb.15747)
- Wezel A, Casagrande M, Celette F, Vian JF, Ferrer A, Peigné J. 2014 Agroecological practices for sustainable agriculture. A review. Agron. Sustain. Dev. 34, 1–20. (doi:10.1007/s13593-013-0180-7)

royalsocietypublishing.org/journal/rstb

Phil. Trans. R. Soc. B 380: 20250257

- 22. Sánchez AC, Kamau HN, Grazioli F, Jones SK. 2022 Financial profitability of diversified farming systems: a global meta-analysis. *Ecol. Econ.* 201, 107595. (doi:10.1016/j.ecolecon. 2022.107595)
- 23. Smith P, Howden M, Krug T, Masson-Delmotte V, Mbow C, Pörtner HO, Reisinger A, Canadell J, O'Brien P. 2017 Special report on climate change, desertification, land degradation, sustainable land management, food security and greenhouse gas fluxes in terrestrial ecosystems (SR2). Geneva, Switzerland: IPCC.
- 24. Jago S et al. 2024 Adapting wild biodiversity conservation approaches to conserve agrobiodiversity. Nat. Sustain. 7, 1385—1394. (doi:10.1038/s41893-024-01427-2)
- 25. Pandey PC, Pandey M. 2023 Highlighting the role of agriculture and geospatial technology in food security and sustainable development goals. *Sustain. Dev.* **31**, 3175–3195. (doi: 10.1002/sd.2600)
- 26. Jacobson AP, Riggio J, Tait AM, Baillie JEM. 2019 Global areas of low human impact ('low impact areas') and fragmentation of the natural world. Scient. Rep. 9, 14179. (doi:10.1038/s41598-019-50558-6)
- 27. Zhang X, Jin X, Liang X, Ren J, Han B, Liu J, Fan Y, Zhou Y. 2022 Implications of land sparing and sharing for maintaining regional ecosystem services: an empirical study from a suitable area for agricultural production in China. Sci. Total Environ. 820, 153330. (doi:10.1016/j.scitotenv.2022.153330)
- 28. Brennan A, Naidoo R, Greenstreet L, Mehrabi Z, Ramankutty N, Kremen C. 2022 Functional connectivity of the world's protected areas. *Science* **376**, 1101–1104. (doi:10.1126/science.abl8974)
- 29. Dawson NM et al. 2021 The role of Indigenous peoples and local communities in effective and equitable conservation. Ecol. Soc. 26, 19. (doi:10.5751/es-12625-260319)
- 30. Pratzer M, Fernández-Llamazares Á, Meyfroidt P, Krueger T, Baumann M, Garnett ST, Kuemmerle T. 2023 Agricultural intensification, Indigenous stewardship and land sparing in tropical dry forests. *Nat. Sustain.* **6**, 671–682. (doi:10.1038/s41893-023-01073-0)
- 31. Lim FKS, Carrasco LR, Edwards DP, McHardy J. 2024 Land-use change from market responses to oil palm intensification in Indonesia. *Conserv. Biol.* **38**, e14149. (doi:10.1111/cobi. 14149)
- 32. Perfecto I, Vandermeer J, Wright A. 2019 Nature's matrix: linking agriculture, biodiversity conservation and food sovereignty. London, UK: Routledge. See https://www.routledge.com/Natures-Matrix-Linking-Agriculture-Biodiversity-Conservation-and-Food-Sovereignty/Perfecto-Vandermeer-Wright/p/book/9780367137816.
- 33. Tukker A, Bulavskaya T, Giljum S, de Koning A, Lutter S, Simas M, Stadler K, Wood R. 2016 Environmental and resource footprints in a global context: Europe's structural deficit in resource endowments. *Glob. Environ. Chang.* **40**, 171–181. (doi:10.1016/j.gloenvcha.2016.07.002)
- 34. Dinerstein E et al. 2017 An ecoregion-based approach to protecting half the terrestrial realm. BioScience 67, 534–545. (doi:10.1093/biosci/bix014)
- 35. Pironon S et al. 2024 The global distribution of plants used by humans. Science 383, 293–297. (doi:10.1126/science.adg8028)
- Garibaldi LA et al. 2021 Working landscapes need at least 20% native habitat. Conserv. Lett. 14, e12773. (doi:10.1111/conl.12773)
- 37. Ceddia MG. 2019 The impact of income, land, and wealth inequality on agricultural expansion in Latin America. *Proc. Natl Acad. Sci. USA* **116**, 2527–2532. (doi:10.1073/pnas. 1814894116)
- 38. Yigezu YA, Mugera A, El-Shater T, Aw-Hassan A, Piggin C, Haddad A, Khalil Y, Loss S. 2018 Enhancing adoption of agricultural technologies requiring high initial investment among smallholders. *Technol. Forecast. Social Chang.* **134**, 199–206. (doi:10.1016/j.techfore.2018.06.006)
- 39. de Schutter O. 2011 'Agroecology and the right to food,' report presented at the 16th Session of the United Nations Human Rights Council. Report no. A/HRC/16/49.
- 40. Luna JK, Dowd-Uribe B. 2020 Knowledge politics and the Bt cotton success narrative in Burkina Faso. World Dev. 136, 105127. (doi:10.1016/j.worlddev.2020.105127)
- 41. Karamchedu A. 2024 Dried up Bt cotton narratives: climate, debt and distressed livelihoods in semi-arid smallholder India. Clim. Dev. 16, 289–300. (doi:10.1080/17565529.2023. 2211037)
- 42. Bezner Kerr R, Wynberg R. 2024 Fields of contestation and contamination: maize seeds, agroecology and the (de)coloniality of agriculture in Malawi and South Africa. *Elem. Sci. Anthropocene* **12**, 00051. (doi:10.1525/elementa.2023.00051)
- 43. Jacobsen SE, Sørensen M, Pedersen SM, Weiner J. 2013 Feeding the world: genetically modified crops versus agricultural biodiversity. *Agron. Sustain. Dev.* **33**, 651–662. (doi:10.1007/s13593-013-0138-9)
- 44. Blesh J et al. 2023 Against the odds: network and institutional pathways enabling agricultural diversification. One Earth 6, 479–491. (doi:10.1016/j.oneear.2023.03.004)
- 45. Cassman KG, Grassini P. 2020 A global perspective on sustainable intensification research. Nat. Sustain. 3, 262–268. (doi:10.1038/s41893-020-0507-8)
- 46. Sánchez Bogado AC, Estrada-Carmona N, Beillouin D, Chéron-Bessou C, Rapidel B, Jones SK. 2024 Farming for the future: understanding factors enabling the adoption of diversified farming systems. *Glob. Food Security* **43**, 100820. (doi:10.1016/j.gfs.2024.100820)
- 47. Valencia V, Wittman H, Blesh J. 2019 Structuring markets for resilient farming systems. Agron. Sustain. Dev. 39, 25. (doi:10.1007/s13593-019-0572-4)
- 48. Jones SK et al. 2022 Research strategies to catalyze agroecological transitions in low- and middle-income countries. Sustain. Sci. 17, 2557–2577. (doi:10.1007/s11625-022-01163-6)
- 49. Duddigan S, Collins CD, Hussain Z, Osbahr H, Shaw LJ, Sinclair F, Sizmur T, Thallam V, Winowiecki LA. 2022 Impact of zero budget natural farming on crop yields in Andhra Pradesh, SE India. Sustainability 14, 1689. (doi:10.3390/su14031689)